



PROFINESS

VERBINDUNGS- & MONTAGESYSTEME

■ Mounting systems for photovoltaics

Product range



 **DEKRA**
INDUSTRIAL
BAUART GEPRÜFT

CHAPTERS

01 RAIL SYSTEM	03
01.1 Mounting rails 40mm	03
01.2 Mounting rails 80x40mm	04
01.3 Mounting rails for mounting on trapezoidal sheet metal	04
01.4 Mounting rails 50mm height	05
01.5 Sliding block	06
01.6 Accessoires from Aluminium	06
01.7 Made-to-order mounting rails	07
01.8 Simple cross bracing	07
01.9 Heavy duty profile	08
02 RAIL CONNECTORS	08
03 MODULE ASSEMBLY	10
03.1 Module clamps for framed modules	10
03.2 Screws and accessoires for module clamps	11
03.3 Module clamps for glass modules	11
04 FIXINGS FOR TILED ROOFS	12
05 SOLAR FIXINGS FOR SHEET METAL AND ETERNIT ROOFS	13
05.1 Pre-assembled dowel screws for timber supporting structures	13
05.2 Approved dowel screws for timber supporting structures	14
05.3 Approved dowel screws for steel supporting structures	14
05.4 Adaptor plates for Dowel screws	15
05.5 Accessories for sheet metal and Eternit roofs	15
05.6 Accessories for seamed and trapezoidal sheet metal roofs	16
06 ACCESSOIRES FOR FLAT AND SHEET ROOFS	17
06.1 Elevation made from aluminium angle profile	17
06.2 aerodynamic flat roof system	17
07 OPEN LAND INSTALLATIONS	18
08 RAILING POST	18
09 SCREW ACCESSORIES, SOLAR	19
10 CHECKLIST ELEVATION STANDS	24
11 CHECKLIST FOR AERODYNAMIC SYSTEMS	25
12 CHECKLIST FOR TILED AND PITCHED ROOFS	26
13 CHECKLIST FOR TRAPEZOIDAL METAL SHEET ROOFS	27
14 CHECKLIST FOR HANGER BOLT MOUNTING	28
15 CONTACT	29

01 RAIL SYSTEM

01.1 MOUNTING RAILS 40mm

Art.Nr. 9664-PROFINESS 1 / PROFINESS 10



Item

Mounting rail / 40 x 40 mm
Aluminium blank, 10 also in black anodised


Price

on request
~ 921 g/m (PR1)
~ 780 g/m (PR10)

Comments

Stocked in 2.2 / 3.3 / 4.4 / 6.2 / 6.3 / 6.4 / 6.6 metres
Span: up to 2.65 metres*
Connection below: DIN 933 M10 (length according to customer requirements)
Connection at the top: Sliding block M8 or KlickFix system

Art.Nr. 9664-PROFINESS 3 / PROFINESS 30



Item

Mounting rail / 40 x 40 mm
Aluminium blank

Price

on request
~ 774 g/m (PR30)
~ 910 g/m (PR3)

Comments

Span: up to 2.45 metres*
Connection below: DIN 933 M10 (length according to customer requirements)
Connection at the top: Square nut M8 or hexagon nut M8 or KlickFix system

Art.Nr. 9664-PROFINESS 15 / PROFINESS 150



Item

Mounting rail / 40 x 40 mm
Aluminium blank

Price

on request
~ 804 g/m (PR150)
~ 923 g/m (PR15)

Comments

PR150 stocked in 6.4 metres
Span: up to 2.40 metres*
Lateral connection: slot nut M8
Connection at the top: Sliding block M8 or KlickFix system

Art.Nr. 9664-Profiness 1HB



Item

Mounting rail / 20 x 40 mm
Aluminium blank

Price

on request
~ 536 g/m

Comments

Stocked in 6.6 metres
Span: up to 1.60 metres*
Connection below: DIN 933 M10 (length according to customer requirements)
Connection at the top: Sliding block M8 or KlickFix system

01.2 MOUNTING RAILS 80X40mm

Art.Nr. 9664-PROFINESS 2



Item

Mounting rail / 80 x 40 mm

Price

on request
~ 1253 g/m

Comments

Stored in 6.4 meters

Span: up to 3.75 metres*

Connection below: DIN 933 M10 (length according to customer requirements)

Connection at the top: Sliding block M8 or KlickFix system

Art.Nr. 9664-PROFINESS 16



Item

Mounting rail / 80 x 40 mm

Price

on request
~ 1440 g/m
No stock item, therefore minimum order quantity 1.000 kg

Comments

Span: up to 3.75 metres*

Lateral connection: slot nut M8

Connection at the top: Sliding block M8 or KlickFix system

01.3 MOUNTING RAILS FOR MOUNTING ON TRAPEZOIDAL SHEET METAL

Art.Nr. 9664-PROFINESS 31



Item

Trapezoidal rail / Standard
Also available from stock in short pieces

Price

on request
~ 1047 g/m

Comments

Stored in 6.2 meters and various short lengths

Profile can be screwed directly onto the trapezoidal sheet metal.

Standard height: 1.3cm

Upper channel for slot nut M8 or KlickFix system

Art.Nr. 9664-PROFINESS 31-60



Item

Trapezoidal rail / 6cm high
Also available from stock in short pieces

Price

on request
~ 703 g/m

Comments

Stored in 6.2 meters and various short lengths

Profile can be screwed directly onto the trapezoidal sheet metal.

6cm for better rear ventilation of the modules

Upper channel for slot nut M8 or KlickFix system

Art.Nr. 9664-PR31HS



Item

High beading rail / 14mm high
With sliding block channel (suitable for sliding block or KlickFix clamp)

Price

on request
~ 425 g/m

Comments

Stocked in 9 / 12 / 20cm length
milled for drill screw reception in the groove channel and covered with EPDM sealing tape
4cm width for screwing in the direction of the bead, so that modules lying crosswise can be clamped on the long side

Art.Nr. 9664-PRAL31-15



Item

High beading rail / 17mm high
For Profiness Drehfix2020 clamp


Price

on request

Comments

stored in 15cm length
covered with EPDM sealing tape / 2 x perforated
3.8cm width for screwing in the direction of the bead, so that modules lying crosswise can be clamped on the long side

Art.Nr. 9664-PR31-WE5-0,06



Item

5° angle increase

Price


on request

Comments

Combination of flat and high trapezoidal rail
Can be clicked into the groove channel, tightened with the supplied self-tapping screw
Significantly more favourable generation of an additional angle compared to conventional elevation triangles
For landscape modules / angle 5°

01.4 MOUNTING RAILS 50mm HEIGHT

Art.Nr. 9664-Profiness 5



Item

Mounting rail / 50 x 40 mm

Price

on request
~ 1000 g/m
Not longer a stock-profile, so
minimum order quantity 1.000 kg

Comments

Span width: up to 3.15 meters*
Connection below: DIN 933 M10 (Length according to customer requirement)
Connection top: Sliding block M8

Art.Nr. 9664-Profiness 6



Item

Mounting rail / 50 x 39 mm

Price

on request
~ 757 g/m

Comments

Length: 6.400 mm

Span width: up to 2.40 meters*

Connection below: DIN 933 M10 (Length according to customer requirement)

Connection top: Sliding block M8

★ Design loads:

- Snow load zone 1 in Germany, terrain elevation <285 meters
- Wind load zone 1, railing category 4, even ground
- Module load: 0.22 kN/m²
- Roof pitch 45 °

Static calculations for other conditions, we will send you on request.

01.5 SLIDING BLOCK

Art.Nr. 9431-120901



Item

Sliding block
Swivel

Price

on request

Comments

for M8 / VE = 100 pieces / Aluminium / Ball from stainless steel A2

01.6 ACCESSOIRES FROM ALUMINIUM

Art.Nr. 9671-40x40x3 / 9671-40x40x5 / 9671-60x40x3



Item

Angle profile Aluminium
40x40x3mm / 40x40x5mm / 60x40x3mm

Price

on request

Comments


Length: 40x40x3: 4.60 + 4.80 + 6.0 + 6.395 + 7.085 meter

40x40x5: 6.0 meter

60x40x3: 6.0 + 6.34 + 6.64 meter

Other length on request.

Art.Nr. 9671-PROFINESS 20



Item

Z-Profil Aluminium

Price

on request

Comments

Length: 6.0 Meter / 40x40x40x3 mm

Other measures, f.e. 40x60x40x3, on request

01.7 MADE-TO-ORDER MOUNTING RAILS

YOUR ITEM NUMBER CAN BE PLACED HERE!



We can supply any profile imaginable.
Even according to your drawing.

Please enquire!

info@profiness.de

Tel. +49 (0) 208 309 61 90

Fax +49 (0) 208 309 61 909



01.8 SIMPLE CROSS BRACING

Art.Nr. 9664-PROFINESS 15 / 9664-PROFINESS 16



Item

Mounting rail for cross connection
for mounting on lower standard rail


Price

on request

Comments

Connection at the side: Sliding block M8
Connection top: Sliding block M8
For horizontal installation angle with 9701-PROFINESS 14

Art.Nr. 9701-PROFINESS 14



Item

Cross bracing connection angle

Price

on request

Comments

Assembly of 9664-PROFINESS 15 or PROFINESS 16 on 9664-PROFINESS 1,
PROFINESS 2 or PROFINESS 3 with 3 screws DIN 912-2-8 * 16 and 3 sliding blocks

Art.Nr. 9701-PROFINESS 23



Item

Cross bracing plate


Price

on request

Comments

Mounting profiles with M10 screw connection below, above and below the same profile
can be used

Art.Nr. 9664-PROFINESS 2-26 / 9664-Profiness 6 / 9785-Profiness 26-8



Price

on request

Comments

Installation as upper cross rail with mounting plate 9785-Profiness26-8 and hexagon head screws 8x16

01.9 HEAVY DUTY PROFILE

Art.Nr. 9664-Profiness-200



Item

Heavy duty profile

Price

on request

Comments

Mounting rail ALU 80x100mm

Various connectivity options

Span width up to 5.70 meters depending on local conditions and allowable deflection

02 RAIL CONNECTORS

Art.Nr. 9751-PROFINESS 12



Item

Rail connector / 200mm

Price

on request

Comments

For Mounting rails 9664-PROFINESS 1 / 3 / 15

You also need 4 selfdrilling screws /connectors for fastening

Art.Nr. 9751-PROFINESS 18



Item

Rail connector slide-in / 200mm

Price

on request

Comments

For mounting rails 40x40

Generally 2 connectors / joint are recommended (except for profile 150)

The common connector for the 40x40 profiles

Art.Nr. 9751-Profiness 24



Item

Rail connector insertion / 200mm

Price

on request

Comments

For mounting rails 9664-Profiness 2

The connector can be deformed to prevent slipping or fixed with 6.3x25 self-drilling screws

Art.Nr. 9557-2-200*40



Item

Rail connector 4-hole / 200x40x5mm
Round hole M10 / Stainless steel A2

Price

on request

Comments

Particular for Mounting rail PROFINESS 2 (also for PROFINESS1 and PROFINESS3 used)

You also need 4 x 6-Hexagon head bolt DIN 933 M10 x 20 + flange nuts with serration 9345-2-10

Art.Nr. 9751-PROFINESS 18L



Item

Rail connector slide-in / 200mm Light

Price

on request

Comments

For Light-Mounting rails 9664-Profiness 6

Per connection are external 2 connector inserted

Art.Nr. 9751-Profiness 25



Item

Rail connector slide-in / 150mm Light

Price

on request

Comments


For Mounting rails 20x40 9664-PROFINESS 1HB

You also need 4 selfdrilling screws/connectors for fastening

03 MODULE ASSEMBLY

03.1 MODULE CLAMPS FOR FRAMED MODULES

Art.Nr. 9742-PROFINESS 4-...



Item

End clamp / ALU / and black anodized

Price

on request

Comments

length: 70mm / width: 30mm
Please indicate module height.

Art.Nr. 9745-PROFINESS 13



Item

Middle clamp / ALU / and black anodized

Price

on request

Comments

length: 70mm / width: 36mm / Module distance: 20mm

Art.Nr. 9742-PROFINESS 5-...



Item

End clamp / ALU plus Clip
also available in black anodized
Significantly higher tensile strength than conventional attachments due to special aluminium alloy

Price

on request

Comments

End clamp fully assembled with screw, nut and clip connector
Please specify module height in your order/enquiry!
This convenient clip connection clicks into any top channel of the PROFINESS profiles.
Reduced installation time saves your money!

Art.Nr. 9745-PROFINESS 14-...



Item

Middle clamp / ALU plus Clip
also available in black anodized
Significantly higher tensile strength than conventional attachments due to special aluminium alloy

Price


on request

Comments

Centre clamp fully assembled with screw, nut and clip connector
Please specify module height in your order/enquiry!
This convenient clip connection clicks into any top channel of the PROFINESS profiles.
Reduced installation time saves your money!

03.2 SCREWS AND ACCESSOIRES FOR MODULE CLAMPS

ALLEN SCREWS




Art.Nr.	Item	Modul height	Screw for rail with Sliding block	Locking washer*
912-2-8*30	M8*30 mm	32 mm	Allen, M8 * 35	
912-2-8*35	M8*35 mm	34 mm	Allen, M8 * 35	
912-2-8*40	M8*40 mm	35 mm	Allen, M8 * 40	x
912-2-8*45	M8*45 mm	36 mm	Allen, M8 * 40	x
912-2-8*50	M8*50 mm	38 mm	Allen, M8 * 40	
912-2-8*55	M8*55 mm	40 mm	Allen, M8 * 45	x
912-2-8*60	M8*55 mm	41 mm	Allen, M8 * 45	x
9250-2-8.4	Locking washer A2 8.4 mm	42 mm	Allen, M8 * 45	
		45 mm	Allen, M8 * 50	x
		46 mm	Allen, M8 * 50	x
		50 mm	Allen, M8 * 55	x

*for sliding block channel only

03.3 MODULE CLAMPS FOR GLASS MODULES

Art.Nr. 9745-Laminat M / 9742-Laminat M



Item	Price
Middle- / End clamp / ALU	on request

Comments
• Separate upper and lower part • UV resistant EPDM rubber • Modular height adjustable, from 6,5mm glass up • FirstSolar approval You also require one Allen screw DIN 912 A2 8x22

04 FIXINGS FOR TILED ROOFS

(Roof hooks and accessoires made of stainless steel)

Art.Nr. 9521-Biber



Item

Roof hooks beaver tail / stainless steel

Price

on request

Comments

Hook 30x5 ex stock, others on request
Optionally available from stock: Plain tile replacement aluminium tile

Art.Nr. 9521-Schiefer



Item

Slate roof hooks / stainless steel
Countersunk holes for 6mm countersunk wood screws

Price

on request

Comments

Hook 30x5 ex stock, others on request

Art.Nr. 9521-Schindel



Item

Shingle roof hooks / stainless steel

Price

on request

Comments

Hook 30x5 ex stock, others on request

Art.Nr. 9521-1-180x80 / 9521-0-150x60



Item

Standard roof hooks for tiled roofs / stainless steel
Available in stainless steel 1.4301 and 1.4016 and mixed Base plate 1.4016 / hook 1.4301

Price

on request

Comments

Variant A plate 180x80x4mm
hook 35x6mm
height 139mm

Variant B plate 150x60x4mm
hook 30x5mm
height 130mm

Art.Nr. 9521-1-180x80K / 9523-1-180x80K



Item

Roof hooks medium load and heavy load
for tiled roofs
stainless steel 1.4301 / base plate 1.4016

Price

on request

Comments

Bracket middle load hook 35x6mm
Bracket heights 35 / 40 / 45mm
Bracket heavy duty hook 35x8mm

Art.Nr. 9525-0-140x56 / 9525-1-140x56 T / 9525-1-140x56KL



Item

Roof hook adjustable
Available in stainless steel 1.4301 and 1.4016 and
1.4016 mixed plate / hook 1.4301

Price

on request

Comments

Plate 144x56x5 mm
Hooks 30x5mm, 30x6mm and 30x8mm ready-made
Temple length 11cm and 16cm

We recommend our special washer-head screws for fastening the roof hooks onto the rafter. (see heading „Screw accessories“)
We will be happy to send you structural calculations for the roof hooks on request.

05 SOLAR FIXINGS FOR SHEET METAL AND ETERNIT ROOFS

05.1 PRE-ASSEMBLED DOWEL SCREWS FOR TIMBER SUPPORTING STRUCTURES

Art.Nr. 9216-2-...



Item

Dowel screws / hexagon head / pre-assembled
(similar picture)

Price

on request

Comments

Pre-assembled with 3 serrated nuts WS9345 A2 + EPDM seal WS9218
All dimensions from 10x160 - 12x400 with this pre-assembled item available from stock.

05.2 APPROVED DOWEL SCREWS FOR TIMBER SUPPORTING STRUCTURES

Art.Nr. 9221-2-...



Item

Dowel screws / Allen head / pre-assembled

Price

on request

Comments

Dowel screw for timber supporting structure with special coating
Pre-assembled with nuts, washers and mushroom seal
Approval from the construction supervision authority

Art.Nr. 9221-2-...



Item

Dowel screws / Allen head / pre-assembled

Price

on request

Comments

Dowel screw for timber supporting structure with special coating
Pre-assembled with nuts, washers and calotte (cup)
Approval from the construction supervision authority

05.3 APPROVED DOWEL SCREWS FOR STEEL SUPPORTING STRUCTURES

Art.Nr. 9222-2-...



Item

Dowel screws / Allen head / pre-assembled

Price

on request

Comments

Dowel screw for steel supporting structure with special coating
Pre-assembled with nuts, washers and mushroom seal
Approval from the construction supervision authority

Art.Nr. 9222-2-...



Item

Dowel screws / Allen head / pre-assembled

Price

on request

Comments

Dowel screw for steel supporting structure with special coating
Pre-assembled with nuts, washers and calotte (cup)
Approval from the construction supervision authority

05.4 ADAPTOR PLATES FOR DOWEL SCREWS

Art.Nr. 9543-2-82*30*5 / 9544-2-82*30*5



Item

Adapter plate Stainless steel A2 for Dowel screws
M 10 (9543) / M 12 (9544)

Price

on request

Comments

L: 82mm x B: 30mm x H: 5mm / Round hole: 11 / 13mm / Long hole: 11*29,5mm
Material: 1.4301

For Dowel screw M10/12 and M10 for fixing in the bottom rail channel

Other sizes available Price on request

05.5 ACCESSORIES FOR SHEET METAL AND ETERNIT ROOFS

Art.Nr. 9664-PROFINESS 31 / 9664-PROFINESS 31-60



Item

Trapezoidal rail


Price

on request

Comments

- Standard: 1.3cm high
- Or 6cm high for better rear ventilation of the modules, mounting from bead to bead
- T-slot channel or KlickFix clamp
- Alternatively, high beading rail, e.g. for clamping on the long side with modules lying crosswise
- T-slot channel or KlickFix clamp
- All versions from stock in short pieces of different lengths
- New: pre-drilled version with DrehFix2020 clamp

Trapezoidal sheet metal direct mounting system for upright or transverse modules and angle increase



05.6 ACCESSORIES FOR SEAMED AND TRAPEZOIDAL SHEET METAL ROOFS

Art.Nr. 9583-Falzklemme



Item

Fold roof clamp

Price

on request

Comments

Fold roof clamp A2 with Long hole for rail connection M10
Assembled with bolt / nut / washer

Art.Nr. 9581-verstellbar



Item

Trapezoidal sheeting panel block A2

Price

on request

Comments

4-hole trapezoidal sheeting panel block for fastening directly to the trapezoidal sheeting adjustable
We recommend mounting with our building authority approved drilling screws 6.3x25
(Item no. 9191-2-6.3x25)

06 ACCESSOIRES FOR FLAT AND SHEET ROOFS

06.1 ELEVATION MADE FROM ALUMINIUM ANGLE PROFILE

Art.Nr. 9785-...



Item

Elevation of angle sections
for upright and landscape of the modules

Price

on request

Comments



Rigid support triangles made from angle section e.g. 40x40x3 or 40x40x5
Available in any custom
angular dimension

06.2 AERODYNAMIC FLAT ROOF SYSTEM

RIDGE SYSTEM

NEW

Ridge system (weighting system parallel to the roof, usually occupying two sides of the roof and connecting via the ridge to prevent slipping)



For our aerodynamic elevation systems (East / West, South and ridge-system) we have designed separate brochures. Please request our Sales:

Please enquire!

info@profiness.de

Tel. +49 (0) 208 309 61 90

Fax +49 (0) 208 309 61 909



07 OPEN LAND INSTALLATIONS

Suitable solutions for every floor requirement

The outdoor systems of Profiness are characterised by a very fast assembly, because we deliver pre-assembled components. The perfectly matched components convince through durability and quality - and this pays off in a high economic efficiency of your system.

Project planning and implementation from one source

We plan, test and accompany the construction of open land photovoltaic plants, solar power plants and solar parks worldwide. Each planning and adaptation of the system is highly individual and must be coordinated on a project-specific basis.


Contact us: We calculate the complete system statics according to your project data, advise you on ground anchoring and prepare a detailed project plan.

Best hold under the most difficult conditions

The Profiness heavy duty profile can be used for spans of up to 6 metres. We also offer the right solution for every floor requirement - contact us, we will be happy to advise you.

Added value with intelligent solutions

- very quick assembly
- pre-assembled components
- Durability and quality
- Planning and project management



NEW




Small tables available from stock

- 20° or 25° inclination
- 2 modules portrait, table length variable

08 RAILING POST

Elevation set for balconies / railings

- Variably adjustable for angles of inclination 45° / 55° / 65° / 75°.
- Set consisting of two triangles, two railing brackets, one fixing rod with two fixing points, incl. all small parts
- Module fastening via M6 screw connection directly on the module frame. The module support is pre-drilled with various round and slotted holes, so that a precise fit with most standard modules is ensured.
- The delivery includes two supports to achieve the different angles.



09 SCREW ACCESSORIES, SOLAR

For information: Profiness will not only supply you with our innovative solar items but also all the other rustproof connection elements. With 24.000 items permanently available in stock, PROFINESS is not just a supplier with one of the widest and deepest ranges of products on the market but also a global market leader in rust-proof connection elements – available in grades A1 to A5 and in all strength classes.

Here is a small selection:

Art.Nr. 9810-0-.....*



Item

Washer head screws with TX drive
stainless steel hardened
Approved by the construction supervision authority
for fastening roof hooks etc.

Price

on request

Comments

Dimensions 8x40 – 8x400

Art.Nr. 571-2-.....*



Item

Hexagon head – wood screws for fastening roof
hooks etc.

Price

on request

Comments

8 x 80	8 x 160	10 x 80	10 x 160
8 x 100	8 x 180	10 x 100	10 x 180
8 x 120	8 x 200	10 x 120	10 x 200
8 x 140		10 x 140	

Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 912-2-.....* / 912-4-.....*



Item

Cheese head Allen screw A2 and A4 according to
DIN912

Price

on request

Comments

for fastening our module clamps etc. see table under 03 Module clamps

Art.Nr. 933-2-.....* / 933-4-.....*



Item

Hexagon head screw full thread in A2 and A4
according to DIN933

Price

on request

Comments

including size M10x25 for bottom rail channel Item 9664-PROFINESS 1

Art.Nr. 9664-2-10x25



Item

Hammerhead screw A2 for Profiness mounting rail

Price

on request

Comments

For the lower M10 channel

Art.Nr. 9021-2-..... / 9021-4-.....



Item

Washer with large external diameter in A2 and A4 according to DIN9021

Price

on request

Comments

for:	inside (mm)	out (mm)
M8	8,4	24,0
M10	10,5	30,0
M12	13,0	37,0

Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 125-2-..... / 125-4-.....



Item

Washer in A2 and A4 according to DIN125

Price

on request

Comments

for:	inside (mm)	out (mm)
M8	8,4	16,0
M10	10,5	20,0
M12	13,0	24,0

Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 9250-2-....



Item

Locking washers "S"
for our module clamps etc. see table under
03 Module clamps

Price

on request

Comments

for:	inside (mm)	out (mm)
M8	8,4	13,0
M10	10,5	16,0
M12	13,0	18,0

Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 603-2-..... / 603-4-.....



Item

Mushroom head square neck bolt in A2 and A4 according to DIN603

Price

on request

Comments

M10 x 20 / M10 x 25
Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 557-2-..... / 557-4-.....



Item

Square nut in A2 and A4 according to DIN557

Price

on request

Comments

M8 / M10 / M12
Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 934-2-..... / 934-4-.....



Item

Hexagon nut in A2 and A4 according to DIN934

Price

on request

Comments

M8 / M10 / M12
Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 985-2-..... / 985-4-.....



Item

Stop nut thin in A2 and A4 according to DIN985

Price

on request

Comments

M8 / M10 / M12
Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 6923-2-..... / 6923-4-.....



Item

Hexagon nut similar to DIN 6923 with flange and serration in A2 and A4

Price

on request

Comments

M8 / M10 / M12
Additional sizes in stock!! Visit: www.profiness.de

Art.Nr. 9664-ErdungM8HKS



Item

UNI earthing terminal NIRO
for Rd 8-10 mm and conductor 4-50 mm²

Price

on request

Comments

with hammerhead bolt M8 and nut for threading

Art.Nr. 9495-ZN-...



Item

Star inserts for TX drive

Price

on request

Comments

Material: Zinc diecast
For TX sizes 10-40

Art.Nr. 5401-2-40-6,25



Item

Ball for driving in

Price

on request

Comments

Balls Niro 304 6.25 mm Grade40
For securing Allen screws SW6

Art.Nr. KabelclipM10



Item

Cable clip

Price

on request

Comments

For M10 slotted channel, click-in, incl. cable ties

Art.Nr. KabelclipM8



Item

Cable clip

Price

on request

Comments

For M8 slotted channel, click-in, incl. cable ties

Art.Nr. KabelclipKante36



Item

edge clip

Price

on request

Comments

For fastening at the edge of a profile, clamping thickness 3-6mm (e.g. in flat roof areas for fastening to 3mm angle profile) / Incl. cable ties

Art.Nr. KabelclipKante073



Item

edge clip

Price


on request

Comments

For fixing to the edge of a profile, clamping thickness 0.7-3mm (e.g. for fixing to the back of the module frame) / Incl. cable ties

10 CHECKLIST ELEVATION STANDS

customer address	project location (if different location)
name	name
street	street
city	city
phone	phone

Maße	
	A (mm) B (mm) C (degree) D (mm) E (mm) F (mm) G (mm)

additional drill holes	
on the bottom wing, pos. D & E type and inner diameter	additional comments
on the upper/module wing, pos. F & G type and inner diameter	additional comments

additional information	
material	quantity
additional comments	

11 CHECKLIST FOR AERODYNAMIC SYSTEMS

(flat roof & slightly pitched roofs)

customer address		project location (if different location)	
name		name	
street		street	
city		city	
phone		phone	

building/location data			
roof pitch degree		roof pitch in direction	
length building edge east m		length building edge north m	
building height		terrain height m	
wind load kN/m ²		snow load kN/m ²	

* Mandatory information for enquiries outside Germany

solar panel data				
quantity		length mm		width mm
height mm		weight kg		

roof information			
roof surface		load reserve kg/m ²	
is there an attic/parapet?		height of attic/parapet cm	
Is there an insulation?		type	
thickness mm			
additional comments:			

mounting system		
mounting system		
flat roof aerodynamic system - south 10° or 15° 	flat roof aerodynamic system – east/west 10° 	slightly tilted roofs roof-parallel ballast system 
We will choose the fitting variation of our mounting system according to your panel dimensions and available space on the roof. The dimensions of the mounting systems will be apparent in your individual offer. Please sketch the planned array design or send us a layout plan!		

sketch

Please sketch the planned array layout in the following grid or send us an layout plan!

13 CHECKLIST FOR TRAPEZOIDAL METAL SHEET ROOFS

customer address		project location (if different location)	
name		name	
street		street	
city		city	
phone		phone	

building/location data			
roof pitch degree		roof pitch in direction	
height of roof m		verge length m	
building length m		terrain height m	
wind load kN/m ²		snow load kN/m ²	
	*		*
* Mandatory information for enquiries outside Germany			roof type

solar panel data			
quantity		panel orientation	
length mm		width mm	
height mm		weight kg	

trapezoidal metal sheet			
material		additional comments:	
thickness mm			
distance between the beads mm		width of upper bead mm	
		screw	

sketch
Please sketch the planned array layout in the following grid or send us an layout plan!

14 CHECKLIST FOR HANGER BOLT MOUNTING

customer address		project location (if different location)	
name		name	
street		street	
city		city	
phone		phone	

building / location data			
roof pitch degree	height of roof m	verge length m	building length m
terrain height m	wind load kN/m ²	* snow load kN/m ²	*
roof type			* Mandatory information for enquiries outside Germany

solar panel data			
quantity	panel orientation		
length mm	width mm	height mm	weight kg

roof surface			
if metal sheet, material	thickness mm	height of beads/convolutions mm	
distance between beads/convolutions mm	insulation/distance from upper bead to screw-in point mm		

roof structure		
bolting in	material	distance between the beams m
screw-in depth mm		
additional comments:		

sketch
Please sketch the planned array layout in the following grid or send us an layout plan!

15 CONTACT

Michael Schreiber

Managing Director

Tel.: +49 (0)208 - 30 96 19 - 00

Mail: m.schreiber@profiness.de

Ulrich Kamp

Sales

Tel.: +49 (0)208 - 30 96 19 - 01

Mail: u.kamp@profiness.de

Gabriele Zsori

Sales

Tel.: +49 (0)208 - 30 96 19 - 02

Mail: g.zsori@profiness.de

Jan Matten

Sales

Tel.: +49 (0)208 - 30 96 19 - 03

Mail: j.matten@profiness.de

Björn ter Schüren

Sales

Tel.: +49 (0)208 - 30 96 19 - 04

Mail: b.terschueren@profiness.de

Sabine Plott

Sales

Tel.: +49 (0)208 - 30 96 19 - 05

Mail: s.plott@profiness.de



PROFINESS GmbH

Broicher Waldweg 42
45478 Mülheim a.d. Ruhr

info@profiness.de (24h)
www.profiness.de

Tel.: +49 (0)208 - 30 96 19 - 00
Fax: +49 (0)208 - 30 96 19 - 09
